

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5225	(pci "peripheral component interconnect") adj bridg\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 09:21
S2	7109	(pci "peripheral component interconnect") near2 bridg\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 13:33
S3	28	(determin\$3 near3 size) same S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 13:34
S4	1	prefetch\$3 same S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 10:05
S5	0	PCT/US05/02342	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 10:05
S6	0	PCTUS0502342	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 10:05
S7	66	cisco.as. and pci and bridg\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 11:49
S8	2	prefetch\$3 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 11:52
S9	13	("6665750" "5822568" "6286074" "20030221039" "6601144" "6662251").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 09:47
S10	202	710/311.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 10:48
S11	149905	determin\$5 near3 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 13:08

S12	6	S10 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:52
S13	2171	descriptor and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 13:24
S14	0	S13 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 13:23
S15	90	descriptor with S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 13:24
S16	186383	"710"/("112,300,307,313,315").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 11:33
S17	25	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:56
S18	1035	("pci-pci" "pci to pci" "pci-to-pci" p2p) near2 bridg\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 13:34
S19	4	(determin\$3 near3 size) same S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 13:34
S20	0	"10742185".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 13:53
S21	0	"10153041".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 15:42
S22	2	"6973528".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 15:42
S23	149985	determin\$5 near3 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:56

S24	90	descriptor with S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:56
S25	6	S24 and bridg\$3 and pci	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:56
S26	202	710/311.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:53
S27	149985	determin\$5 near3 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:53
S28	6	S26 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:53
S29	0	hash and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:53
S30	8235	S27 same table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:53
S31	2	S26 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:53
S32	5137	"hash table"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 15:58
S33	18	(data near2 size) with S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 15:59
S34	1	address with S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 15:58
S35	34	size with address with S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 15:59

S36	25175790	@ad<"20040301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 15:10
S37	31	S35 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 17:41
S38	10	hash with ((address\$2 and size) near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:42
S39	5137	(hash adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 09:22
S40	34	S39 near7 (address\$2 near5 (length size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:32
S41	0	("6665750" "5822568" "6286074" "20030221039" "6601144" "6662251").pn. and hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 09:47
S42	1	("6665750" "5822568" "6286074" "20030221039" "6601144" "6662251").pn. and table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 09:47
S43	19205	decoder adj circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:32
S44	784	storage with S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:33
S45	708	@ad<"20040301" and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 11:34
S46	0	710/300.ccls. and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 11:33
S47	186527	"710"/("112,300,307,313,315").ccls. and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 11:33

S48	7	(pci near3 bridge) and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:25
S49	13	(US-20030051076-\$ or US-20040073724-\$). did. or (US-5649161-\$ or US-5737765-\$ or US-5913045-\$ or US-6075929-\$ or US- 6286074-\$ or US-6463483-\$ or US-6662251- \$ or US-6665753-\$ or US-6820161-\$ or US- 6973528-\$ or US-6766511-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/01/04 13:26
S50	4	full and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:27
S51	710	determin\$3 near3 (memory storage) near4 full	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:27
S52	735	determin\$5 near3 (memory storage) near4 full	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:28
S53	3	(discard\$3 near old\$3) same S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:30
S54	27	(discard\$3 remov\$3 delet\$3) with S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:30
S55	153	descriptor near3 (location address) near3 size	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/04 08:57
S56	41	memory with S55	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/04 08:57
S57	12	bridge and S56	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/21 10:44
S58	0	bridge same S56	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/04 08:57
S59	2	bridge with memory with size with location with read	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/21 11:01
S60	10	710/311.ccls. and descriptor	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/21 10:50
S61	0	710/311.ccls. and descriptor	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/21 10:50
S62	4	bridge same memory same (size near5 location) same read	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/21 11:31

S63	1051	((read\$3 adj ahead) prefetch\$3) near5 (determinate known size predetermined)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/21 11:33
S64	38	710/305-315.ccls. and S63	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/22 15:30
S65	0	(transmit\$4 send\$3) near5 descriptor near5 initiator	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/22 10:48
S66	1	(transmit\$4 send\$3) near5 (location address) near5 size near5 initiator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/22 10:48
S67	2	("6,963,954" or "5,606,665").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/22 15:33
S68	0	"09957342".ap.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/22 15:33
S69	0	"09/957342".ap.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/22 15:33
S70	8	("20020042861"   "5146578"   "5381539"   "5606665"   "6012106"   "6195735"   "6393457"   "6567894").PN. OR ("6963954").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/19 10:42
S71	7	descript?r near3 memory near3 bridge	US-PGPUB; USPAT	OR	OFF	2007/01/19 10:42
S72	7	descript?r near3 memory near3 bridge	US-PGPUB; USPAT	OR	ON	2007/01/19 10:52
S73	1	prefetch\$3 near5 size near5 descript?r	US-PGPUB; USPAT	OR	ON	2007/01/19 11:09
S74	3	prefetch\$3 near7 size near7 descript?r	US-PGPUB; USPAT	OR	ON	2007/01/19 11:12
S75	1	efficient near5 prefetch\$3 near5 size	US-PGPUB; USPAT	OR	ON	2007/01/19 11:09
S76	0	prefetch\$3 near7 length near7 descript?r	US-PGPUB; USPAT	OR	ON	2007/01/19 11:12
S77	2	overprefetch\$3	US-PGPUB; USPAT	OR	OFF	2007/01/19 12:29
S78	111	over adj prefetch\$3	US-PGPUB; USPAT	OR	OFF	2007/01/19 12:29
S79	111	over adj1 prefetch\$3	US-PGPUB; USPAT	OR	OFF	2007/01/19 12:30
S80	14637	transmi\$5 near2 size	US-PGPUB; USPAT	OR	ON	2007/01/19 12:30
S81	0	S78 and S80	US-PGPUB; USPAT	OR	ON	2007/01/19 12:30
S82	1	S78 near5 size	US-PGPUB; USPAT	OR	ON	2007/01/19 12:30
S83	18	("5367695"   "5838932"   "5905877"   "5918026"   "5933610"   "5978879"   "6141715").PN. OR ("6636927").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/19 15:15
S84	1775	(transmit\$4 send\$3) near3 descript?r	US-PGPUB; USPAT	OR	ON	2007/01/22 10:47
S85	2	(transmit\$4 send\$3) near3 descript?r near3 expansion	US-PGPUB; USPAT	OR	ON	2007/01/22 10:48
S86	135	(transmit\$4 send\$3) near3 descript?r near3 device	US-PGPUB; USPAT	OR	ON	2007/01/22 10:48

S87	13	read with S86	US-PGPUB; USPAT	OR	ON	2007/01/22 10:48
S88	1	(fetch\$3 prefetch\$3) near3 descriptor near3 size near3 address\$2	US-PGPUB; USPAT	OR	ON	2007/01/22 15:07
S89	135	(transmit\$4 send\$3) near3 descript?r near3 device	US-PGPUB; USPAT	OR	ON	2007/01/22 15:10
S90	13	read with S89	US-PGPUB; USPAT	OR	ON	2007/01/22 15:10
S91	9	@ad< "20040301" and S90	US-PGPUB; USPAT	OR	OFF	2007/01/22 15:10
S92	31	bridge near3 prefetch\$3 near3 (cache memory)	US-PGPUB; USPAT	OR	OFF	2007/05/22 14:13
S93	20	size and location and address\$2 and S92	US-PGPUB; USPAT	OR	ON	2007/05/22 13:09
S94	0	size with location with address\$2 with S92	US-PGPUB; USPAT	OR	ON	2007/05/22 13:09
S95	0	size same location same address\$2 same S92	US-PGPUB; USPAT	OR	ON	2007/05/22 13:09
S96	16	bridge near3 prefetch\$3 near3 buffer	US-PGPUB; USPAT	OR	OFF	2007/05/22 14:13
S97	10	prefetch\$3 near3 based near3 descript\$3	US-PGPUB; USPAT	OR	OFF	2007/05/22 15:39
S98	147	prefetch\$3 near3 remaining	US-PGPUB; USPAT	OR	OFF	2007/10/25 10:45
S99	6	size with S98	US-PGPUB; USPAT	OR	OFF	2007/10/25 10:46
S100	1	"5761464".pn.	US-PGPUB; USPAT	OR	OFF	2007/10/25 17:17
S101	206	bridge near3 (read adj request)	US-PGPUB; USPAT	OR	OFF	2008/03/19 10:17
S102	2	descriptor with S101	US-PGPUB; USPAT	OR	ON	2008/03/19 10:17
S103	2	bridge with (read adj request) with descriptor	US-PGPUB; USPAT	OR	ON	2008/03/19 10:21
S104	38867	descriptor	US-PGPUB; USPAT	OR	ON	2008/03/20 15:13
S105	1318	prefetch\$3 and S104	US-PGPUB; USPAT	OR	ON	2008/03/20 15:13
S106	3425	710/306-315.ccls.	US-PGPUB; USPAT	OR	ON	2008/03/20 15:15
S107	36	S105 and S106	US-PGPUB; USPAT	OR	ON	2008/03/20 15:15
S108	25	@ad< "20040301" and S107	US-PGPUB; USPAT	OR	ON	2008/03/20 15:15
S109	34	(peripheral expansion) near5 request\$3 near5 S104	US-PGPUB; USPAT	OR	ON	2008/03/20 15:28
S110	25	@ad< "20040301" and S109	US-PGPUB; USPAT	OR	ON	2008/03/20 15:28
S111	18	(expansion peripheral) near3 request near3 descript?r	US-PGPUB; USPAT	OR	ON	2008/04/08 10:45
S112	48	(expansion peripheral) with request with descript?r	US-PGPUB; USPAT	OR	ON	2008/04/08 14:04
S113	14	S112.dlm.	US-PGPUB; USPAT	OR	ON	2008/04/08 14:04
S114	5	(expansion peripheral) with request with descript?r	FPRS; EPO; JPO	OR	ON	2008/04/08 14:14

S115	27	710/112,300, "307,311", "313,315".ccls.	US-PGPUB; USPAT	OR	ON	2008/04/08 14:28
S116	2550	710/112,300,307,311,313,315.ccls.	US-PGPUB; USPAT	OR	ON	2008/04/08 14:28
S117	48	(expansion peripheral) with request with descript?r	US-PGPUB; USPAT	OR	ON	2008/04/08 14:28
S118	6	S117 and S116	US-PGPUB; USPAT	OR	ON	2008/04/08 14:28
S119	14	S117.clm.	US-PGPUB; USPAT	OR	ON	2008/04/08 14:29
S120	2	S119 and S116	US-PGPUB; USPAT	OR	ON	2008/04/08 14:29

4/ 8/ 2008 2:45:22 PM

C:\Documents and Settings\fzaman\My Documents\EAST\Workspaces\10791312.wsp